# JOHN T. STAPLETON CIVIL ENGINEER

1309 EAST 2ND STREET
BLOOMINGTON, INDIANA
TELEPHONE 2-2928

ADDITION	page
Able Subdivision of West Cut Lot 15 Alexander's Addition	25 21 69 81 57 81 69 61
Batman Addition	5 & 41 53 57 —
Campbell (James) Addition	57 37 93 61 45
Carr's Bungalow Park	61 57 13 65
College Place Addition	81 65

Country Club Manors First Addition  Second Addition Third Addition  Cox Addition Craven's and Carmichael First Sub.Div. Craven's and Carmichael Second Sub.Div. of Out Lot No. 112. Cron's First Addition Crown Park Addition Crown Park Addition	85 49 49 25 65
Davis First Addition Dixie Highway Addition Dodds Addition Dodds Second Addition Dolan Addition Driscoll Addition Duncan Addition Duncan Subdivision Dunns Addition Dunns (Felix)	25 37 37 37 49 61 37 37 73
East and Marshall's Addition  Eastern Heights  Edgemont Park  Elm Heights Addition  Englewood  Everdale Addition.	41 85 81 97 81
Fair Meadows	45 97 81

JOHN T. STAPLETON

CIVIL ENGINEER

BLOOMINGTON, INDIANA
TELEPHONE 2-2928

# JOHN T. STAPLETON CIVIL ENGINEER

1309 EAST 2ND STREET
BLOOMINGTON, INDIANA
TELEPHONE 2-2928

Forest Place	tion
Glenwood	
Harris' Sub.Div. of Lot	123 in Barclay Gardens
Highland Addition Highland Homes Highland Village Hill Crest Addition Hillsdale ,,, Hoosier Acres, First Ad	dition
Hunter	

I 1N2075

49

49

57

93

65

87

81

45

29

57

61

49

89

69 57

STAPLETON	ENGINEER
JOHN T.	CIVIL

1309 EAST ZND STREET TELEPHONE Kerr's Addition ,,,.....

Kirkwood Heights Addition ......

Lade's Addition ..... Lake View Park ......

Lawndale Addition ......

Lewis (LYnn B.) Addition .....

Lone Star Addition .....

Longview Addition ......

Louden's Sub.Div. ......

Lowe Addition (Sem. Lot No. 64) .....

Manor Woods ..... Maple Heights Addition ......

Matlock Heights ..... Maxwell Manors Sub.Div. ..... 85

Mayfield Plat .....

Merker's Sub.Div. ...... Millen ..... Millen and Rice Addition ... ...... Morse Addition .....

McCullouch ..... McPheeters Addition ....

Second Addition .....

BLOOMINGTON, INDIANA

STAPLETON	ENGINEER
9	Z
STA	ENG
-	I
NHO	CIVIL

BLOOMINGTON, INDIANA 1309

North Cliff

PineGrest.

65 49

93

81

57年292953

61

65

61

61 25 57

101

North Crest ...... Northern Manors ...... Northwestern Heights .....

Oakland Addition ......

Owen's Addition ...... Orchard ..... Outlook Addition ......

Parkview Addition .....

Pleasant View Addition ......

Polings Addition ..... Potter Park Addition ......

Prospect Hill Addition ......

Prospect Park Addition ......

Prow's Gardens .....

Rail Road Park .....

Ralph Rogers ...... Rhorer .....

Rob-ben-mars ..... Rogers Heights ......

Rogers Park ...... Rogers (Ray) .....

Rolling Park Addition .....

Rose Bud Addition ..... Ryores Addition ......

Second Addition ..... Third Addition .....

 $\tilde{\neg}$ 

Sage's Addition Seminary Square and Lots Sheridan Place Smallwood's Addition Smith Addition South High Addition South Park St. Clair Sub.Div. of parts of Sem. Lots 37 and 46 Stull Addition Suggs Sub.Div. Sunny Slopes	69 41 93 69 81 105 61 41 37 61
Taylor	93
University Courts First Addition  Second Addition  Third Addition  Fourth Addition  University Heights University Park	73 73 73 73 81 69
Varsity Place	97 49
Waldron's Addition Walnut Grove Waterman's Addition Weaver (John) Sub Div. of Sem. Lot No. 61 West Place Whittaker's Addition	45 69 8 13 29 25 81


JOHN T. STAPLETON

CIVIL ENGINEER


BLOOMINGTON, INDIANA
TELEPHONE 2-2928


Williams Addition		
Williams Addition	93	
Wilson and Vermilya First Addition	- 3.5	
" ZII WOI MULL BLUII	Ministering	
	53	
JETO MALE TO	57	
	97	
Wylie Place Addition	97 61	
	O.L.	
Young (Jacob) Addition		
	53	


JOHN T. STAPLETON
CIVIL ENGINEER
1309 EAST 2ND STREET
BLOOMINGTON, INDIANA
TELEPHONE 2-2928





Sford











page

J.P.

#### ALEXANDER ADDITION


Lot demensions and street locations do not agree with the plat of this addition. Stone at Southeast corner of Lot 83 in Alexander Addition. Other stones and iron pins are as shown on plat.

#### NORTHWESTERN HEIGHTS

1 1 :

Careful observation will prove that this addition will not check. Corner stone at Northeast corner of West 11th and Monroe Street - 5 feet North of North walk and underneath stone wall. Arrow on wall points to said stone. The 10 foot strip indicated by arrow was given by Jas. L. Blair for the purpose of an easement. There is a 66 foot strip on the North side of 11th Street between Maple and Blair Ave.. Ave that is left off of the map. Cross of header wall under rip-rap at the N.E. corner of Blair Ave. and 11 (west) which marks this corner. Stones at the N.E. and N.W. corner of Lot number 31.

Check the different in distances of the lots adjacents to the North line of West 11th Street and that of teir of lots from 11 to 21 inclusive.




## BANNEKER SCHOOL AREA

Rock in 7th Street in front of Banneker School very close to surface.

\* \*

#### MAPLE AND 3rd AREA

Rock just underneath Macadm of Maple just South of 3rd Street - (flinty formation).



Dodds Addition - West of Rogers Street vacated when plant 4 was erected.

Madison Street takes up its entire right of way through this addition. At the South end of Madision Street (At Hillside Drive) stone is within 7 inches of the top of the pavement but runs deeper toward Grimes Lane but at no place between Grimes and Hillside does the depth exceed 6 feet. The sewer under this street is laid on a small grad. and run 12 feet deep toward Hillside Drive. There seem to be no surplus between Rogers and Madison Street. The sewer at Hillside Drive and Madison Street in Hillside Drive is better than 14 feet deep.

Sewer and Street built in the summer of 1928. Rogers Street also take up all its right of way, but Grimes Lane should be checked West of Walnut. Little is known of Hillside Drive out side of the fact the net distance from Grimes to Hillside seems to fit in well with existing conditions.

#### DIXIE HIGHWAY ADDITION

Corner stone at S.W. corner of Lot 22 from old corporation line to R.R. taken into city October 1930. Dodds Street West of Fairview Street jogs with that part East of Fairview-reason unknown. Theory - a mistake by some one. Someone goofed

provided located. Mowever they become closer to being correct at each allow

Dodds Street Improvement was located from markers which mark the lots lines in Mathew Campbell's Addition - (Year 1930) Madison Street Inter. located in same manner.

Rock under Dodds Street Improvement was of considerable depth. Dodds Improvement utilizes its entire R-O-W. Rogers Street does likewise.

Dodds to Allen is 600 plus 10 plus 36 equals 666

Allen 32.5

Allen to North Line 69' - 60 times 7 (420) plus 30 equals 450

Lot 69 - 60 feet

South Line 69 to Grimes Lane is 10 plus 60 plus 192 equals 262

Lots along Rogers Street lie at right angles to the street.


Notch in walk at S.E. corner - Rogers and Allen Street proves to be the South line of Allen Street.

Alley intersections along Rogers Street through this addition are not properly located. However they become closer to being correct at each alley as you go South from Dodds Street.

Stone wall on East side of Lot 6 marks the West line of Madison Street.

Net distance from Rogers to Madison Street over Dodds Street.

East of :strview-reason unknown. Theory - ha misteke by some one. Eggeen a quefed



#### SEMINARY SQUARE

S.W. corner Seminary Square is 33 feet North of of First Street as evidenced by curbs West of Morton Street and is 31.28 feet East of West edge of West rail of main track of R.R.

Rogers and Morton - 21.3 feet plus curbs. Use between curbs for at

West First West of Rogers Street.

There is a jog in the confidence of Walnut Street (at 2nd Street) of approximately 5.8 feet (should be checked)

### McPHEETER, PROSPECT HILL, EAST & MARSHAL AREA

February 16, 1931: Corner stone shown at 3rd and Jackson Street still in place. - approximately flush with ground.

Corner stone in filling station drive under metal lid S.E. corner of

4th and Rogers Street.

Corner stone - N.W. corner 5th and Rogers Street.

# 5th - SMITH AVE. AND WALNUT \* MADISON ST. AREA (Grahams)

Graham's Garage out of line with 3rd Street by few inches at West end - East end is O.K. - (right on line)

TONE @ 3rd & WALNUT AN

4-5tone K 2. 40 & button

#### ST. CLAIR ADDITION

All lines in St. Clari Addition are 3 feet too far South. The back of the South side walk is the S.P.L. of West 2nd Street (from Rogers Street West ) being widen by Henley (C.C.E.) by projecting the back of the South side walk East of Rogers Street.

The railroad has a 25 feet easement at Rogers Street in the St. Clair Add.


All property in Sem. 46 should be surveyed from Rogers Street.

#### HOWE ADDITION AREA

between curbs on 1st Street West of Morton Street is also Cof 66 feet right-of-way.

Madison, Morton and Rogers Street North of 2nd Street cannot be located by demensions given on this map. - Rogers Street South of 2nd utilizes its entire R.O.W. which is 40 feet.

Deeded demensions in 37 do not agree with permanent locations along Rogers Street.



#### MILLEN AND RICE ADDITION

Stones should be studied with caution as some were set by students and are wrong.

#### CARMICHAEL, WALDRON AREA

Original stone still in place. Stone at 7th and Jackson still in place. (N.E. Cor.) Stones at N.E. and S.E. corners 5th and Jackson - (the stone at S.E. corner being located over original stone.)

#### INLOTS - (Public Square Area)


1 1

Corner stone at S.E. corner of Rogers and 8th Street is out. Cor. Cor. at S.E. Corner Morton and 8th is out - but iron pin was placed instead in 1929. Notch cit in sidewalk at S.W. corner - College Ave. and 8th is correct to within .01' or so.

Stone at S.E. corner - Rogers and 8th Street-found and new stone placed on top of it.

Stone at intersection of 7th and Morton and 6th and Morton.






#### VERNON SUB-DIVISION

Corner stone - N.E. corner Lot 1 in Vernon Sub.Div.

#### KENWOOD PARK AND KENWOOD ADDITIONS

Morton Street - 16th to 17th was placed parallel to College Ave. Net distance at 15th Street proves & Morton Street at that point to be correct at that point. Corner stone - N.W. corner Lot 54 in Kenwood Addition - A triangular piece of land. Between E.P.L. of Madison Street and the West line of Kenwood Addition begins at 16th Street and runs to a point at 13th Street - belongs to no one.

PAGE was missing in old book concerning POLAN & JOHNSON ADD.



#### IN LOTS (this page and p. 57)

The East and West property lines of Grant Street are approximately 20 feet behind sidewalks now in place - 4th to 8th Street.

Corner stones at: 5th and Grant S.E. corner-S.W. corner

3th and Grant N.W. corner

7th and Grant S.E. corner-S.W. corner 8th and Grant S.E. corner

Byerly's stone wall at 3rd and Grant on the East line of Grant.

between curbs of Lincoln Street (3rd to 8th Street)

corner stone at 8th and Lincoln - S.E. corner under shubbery and 8" under surface of yard.

Four original stones are in place at 6th and Grant Street. Two original stones are in place at 5th and Grant Street. The one at the S.W. corner is under sod and badly broken.

### IN LOTS - Dunn through Walnut, and 6th through 8th

There is a corner stone under concrete porch of Brick House on the S.W. corner of 8th and Grant. Stone approximately in line with cof large North window. Another stone in yard at S.E. corner of this intersection. Old stone wall at N.E. corner of 7th and Dunn is on the East line of Dunn Street.

Corner stone S.W. corner of 7th and Grant Street - also one at S.E. corner of this intersection.

Corner stone at S.E. corner of 8th and Lincoln under hedge bush.

Corner stone at S.W. corner 8th and Lincoln. Present stone was placed over orginal stone.

THE EAST OF GRANT ST. AT NE GO. TTHE GRANT A. IS 18.5 FR EAST OF THE GRANT ST. WALK.

THE INDETH LINE OF THE 13 5.8' NORTH OF THE N. WALK OF TO THE ST. @ INE. COR THE GRANTS

JACOB YOUNG, OWEN AND BOLMAN PLACE

Etal-Years ago and verbally) To build the storm sewer now in place under W. walk. Leaving Lot 23 with only 96.55 feet. etc.

Corner Stone at N.E. corner. 10th and Lincoln Street.

Dunn Street North of 8th Street takes up its entire right of way - enough ground was given from Youngs Addition (by Clay Beard)

Corner stone at 6th and Lincoln - 9.8. corner under shubtery and 8" under surface of yard.

Four original stones are in place at 6th and Grant Street, Two original stones are in place at 5th and Grant Street, The one et the 8.W. current is under sod and badly broken.

betwagh nurbs of Lincoln Street (ind to bth Street - to the of way.)

dif characted did bas tunish drawed and - Brown

IN LOTS (this out and b. 57)


There is a cremar atome under concrete por it of Brick House on the S.W. corner of Sth and Brenc. Stene approximately in The with a of large North window. Another state in yerd at S.E. corner of this intersection. Old stone wall at N.E. corner of Tth and Dunn is on the fest line of Dunn Street.


Corner atome at S.W. corner Data and Lincoln under hedge bush.

#### PUBLIC SQUARE

Commissioners Court - April 13, 1818

On motion the Board ordered the town of Bloomington to be laid off by the agents of this county. According to the following direction towit: Each side of the Public Square is to measure 276 feet; Lots are to be 66 feet in front and 132 feet back; Streets to be 82.5 feet and the Alleys 12 feet; The streets to cross at right angles and to run parallel with the sectional lines, and the number of Lots to be laid off to be left discretionary with the agents.





5. E. Coe #1 - 19 LOCATED 14' NORTH OF SE. COR. of Sem. Lot -74

### KERR, CEDAR HILL, CAMPBELL, BOWLES, POTTER PARK ADDITION

Cross in sidewalk of Henderson Street marks S.E. corner Lot 1 - Potter Park.

There is a corner stone S.E. corner (6" under the sod) of Grant and University which has no connection with anything unless it marks the corner of Kerr Addition. Corner stone underneath Lincoln Street sidewalk (West edge) just North of 2nd Street walk and at N.W. corner of Lincoln and 2nd Street uncovered in 1929.

There is nothing on record that I have found to prove the width of Lincoln Street from (1st to 2nd) - In surveying lots connected with Grant Street between University and 2nd Street one should give Grant Street some consideration on account of the angle it makes in this block.

Alley - running North from Bowles Addition to 2nd Street vacated in Fall of 1933.

Henderson Street, 1st to 2nd, utilizes its entire right of way. Alley marked "Z" was taken and opened by the city in 1934.

N.P.L. EZHO FT @ WASH, ST, = 6 FT. NORTH OF MORTH WALK OF EZHO ST.

# ALLEN, WYLIE, McCULLOUCH, ORCHARD, RYOR'S ADDITIONS

North line Smith Ave. - 2.4 N or N.I.L. @ Lot 21 Corner stone beneath back of West sidewalk of Lincoln Street. - Close to the bak of the North walk of East 2nd Street (N.W. corner - Lincoln and 2nd Street) Stone about 18" deep. Lincoln Street at this point was located by this sone and West side of West walk was placed directly over cross on stone.


Corner stone 1.86 feet West of the West walk of Lincoln Street at S.W.


corner Lincoln and Smith Ave.

Wet seepy ground under Smith Ave. just West of Washington Street. In dealing with Fract. Lot 20 and 21 one must consider and deal with what has been an old Seminary Lane - Deeds in this locality are very tricky and ih some cases give no information.

## LOUDEN

(A) denotes township stone in drive way - C of Dunn Street is 20 feet West of Section Line. Land was given by verbal agreement on South side of \* E. 2nd Street (Park Street to some point East) in order widen said street to its present width.





#### DRISCOLL ADDITION

A great deal of this addition is not shown on this plat being below Hillside Drive. At this date (Jan. 1, 1931) there is another addition - located where the star is shown - known as Ead Addition, it has not been approved by the city plan commission and the plat has not been recorded - this plat shows a jog in Washington Street to the East and South of Hillside Drive.

Driscoll and Wilson Drive are in correct position, at Lincoln and Walnut Street one should use between curbs.

This addition on the ground is not as shown on the plat. The existing lines of Grant Street are too far East by quite a few feet. All North and South Streets and alley East of Lincoln Street are not in correct position according to plat. The North property line of Hillside Drive on the West side of Washington Street is 7 inches North of the South end of the sidewalk. Lincoln Street is on a slight angle between the South line of Grimes Lane and the North line of Hillside Drive. There is an iron peg of the North East corner of Grimes Lane and Lincoln which is on the property line all ways.

There are six feet behind the side walk on the East side of Washington Street that is city property. Two feet and 3 inches North of Quince Cox's Stone wall is the North line of Hillside Drive at Lindoln on the North East corner speaking of the South edge of the wall. It is from 6 to 12 feet to stone under Lincoln Street through this addition. Grimes Lane is laid right on the line of both North and South side from Walnut to Lincoln. 13.6' ground-

East of Walnut Street, Driscoll belongs to city

#### AXTELL AND SOUTH PARK ADDITIONS


The corner stone at N.E. corner First and Walnut is not the orginal stone, but was placed over the orginal stone in 1929 by V.M. Screiber and is O.K. Much consideration should be given to location of Park Street. As locations arrived at by using corner stone at Dodds Street and Property line of Allen Street will not check for proper width of Park Street nor check with returns at Walnuts Street corner stone marked on Lot 5 merely marks dividing lines between property.

New stone placed over original stone at N.E. corner of Dodds and Walnut in the winter of 1932-33. Stone in service station Drive at S.E. corner - First and Walnut - and is 66.5 feet from stone at N.E. corner of First and Walnut.

Stone at S.E. corner-First and Lincoln moved slightly during erection of stone wall.

## Corner Stone at Dodds and Walnut

Stone on East Line of Morton Street 169.26 feet. No. of the No. line of Dodds Street. Northeast corner of Dodds and Morton is 29.38 feet West of Tack on tie in center of main track. Corner Stone at N.E. corner of Walnut and Dodds as shown on the above plat. (See drawing below)



LOWE ADDITION, SUGGS, AND IND. LIMESTONE CO.

The Alex. King New Mill (1931) was located on the S.P.L. of Dodds Street by J.T.S.

#### CAPITAL PLACE

Stone at Southwest corner (Allen and Lincoln) was set by me in 1930 and is located over original stone. Stone at Southeast corner of Lincoln and Davis was removed by the Interstate in 1927 in order to place a pole. The above statement is in error as the stone was found again in 1932 and a new one placed over it.

There are corner stones on the South South side of Allen Street at Lincoln and the distance between them should be 48 feet but is 48.5 feet instead. (S.E. and S.W. corners) Stone under Lincoln Street through these additions is on an average of 4 to 5 feet in depth. The lots and alleys between Davis and Allen Street do not exactly measure out as they should according to plat. Lincoln Street East and West property lines are 4 feet back of each walk through these addition. The East line of Lincoln Street from Allen to Grimes Lane can be established from corner stone at Allen Street on the S.E. corner(this stone is right) and the iron peg at Grimes Lane mentioned in the Driscoll Addition notes. Stone at S.E. corner of Henderson and Davis Street and should be checked before using as it is doubtful if it is related to lands West of Henderson Street.

#### INDIANA LIMESTONE, RAILROAD PARK ADDITION, CAZEE


It is very advisable when surveying lots in this addition to check the location of Monon Drive, with the center line of Walnut Street and it will be found approximately 9 feet off with the recorded plat. The lots along Monon Drive provide approximately 3 foot surplus between Hillside Drive and the point marked X.

Location of round house as you see on this section is wrong. Hillside Drive was vacated in October 1930 from Walnut to Rogers Street. Demensions of lots lines fronting on Walnut Street in Railroad Park Addition can be found in City Treasurer Office on Assess. Rolls pertaining to construction of South Walnut Street and sewers. These demensions are the results of trianglation methods which follow data collected in field and proved to be reasonable correct.

There are Indiana Limestone Co. stones at point  $\underline{G}$  and  $\underline{H}$  - which mark the H.P.L. of Hillside Drive. There is no jog in Hillside Drive at Walnut Street as shown on city map. There is no city property behind walks on Walnut Street South of Hillside Drive.

October 18, 1933 - No records of the vaction of College Avenue - Grimes Lane to Hillside Drive could be found after an extensive search made by J.E. Darby, myself and the attorneys for the Indiana Limestone Co. in connection with R-O-W for new city sewer to be built under U.S. Loan.

The width of Walnut Street - Second Street to Hillside Drive is given in original deed record A - page 55 and is given as 69.3 feet. The land sold by Ping - between North line Cazee Addition and Grimes Lane includes part of Walnut Street and College Avenue - R-O-W.



August 10, 1930: - At this date there is some question as to the location of the S.P.L. of 17th Street. According to location of Corner stones at Washington Street and 17th and at 17th and Lincoln the S.P.L. of 17th Street is at the North end of the Walnut Street sidewalk. But the State Highway has placed and iron pin 23 feet North of the end of this walk for the center line of 17th Street, which does not agree with the above mentioned locations. The right of way for the State is not defined for width permanently at this date.

When Walnut Street was laid out and planned the width could not be determined by records, so the city comdemned enough land of the West side so as to construct a 52 foot street. The East side of Walnut Street was established by using corner stones on the West line of the Fulwider Addition which are still in place, one at 14th Street. The storm sewer under the center line of the West walk of Walnut Street is of concrete pipe placed to a depth from 6 to 10 feet, excavated mostly through rock. Little is known of 16th Street, outside of the fact that it utilizes its entire right of way. 15th Street was built in 1927 and utilizes all of its right of way. Corner stones at Washington. Lincoln, and Dunn were destroyed during the construction of the street. There is a short surplus between Grant and Dunn Streets. From Lincoln Street to top of the hill (toward Dunn) is laid on stone-in fact stone had to be blasted out to a depth of two feet in order to get down to grade. 14th Street does not utilize all of its right of way, however the North improvement line is the North property line and there is a corner stone two feet under the North walk at the N.E. corner of Lincoln and lath Street (which is broken into) The corner stone at the N.W. corner of Dunn and lath was torn out during the construction of the street. Stone is not just underneath the concrete pavement. but some what deeper.

Lincoln Street from 15th to 17th Street was laid out according to corner stones at 15th and 17th Street. The one at 17th Street remains in place at this date. The North end of Lincoln Street marks the North boundary line of the city. What has been noted of Lincoln Street applies to Washington Street from 16th to 17th Street. Washington Street improvement from 16th to 17th Street is 40 feet in width with 2 feet back of each walk belonging to the city as there is a 44 foot right of way for this street. There is a corner stone at the N.E. corner of Lot 33 in Northview Addition (Sone is just underneath the sod.) Stone at the S.E. corner of 17th and Washington Street is out.

## LADE ADDITION - CLARK ADDITION

A part of Lot #5 in Lade's Addition to the City of Bloomington, Indiana, described as follows, towit: Commencing at a point on the North line of said Lot #5, 94 feet East of the Northwest corner of said Lot #5, thence East  $42\frac{1}{2}$  feet along the North line of said lot; thence South  $62\frac{1}{2}$  feet; thence West  $42\frac{1}{2}$  feet; thence North  $62\frac{1}{2}$  feet to the place of beginning.

Pt. Lot 25 Lade Addition was taken by the city for the purpose of widening Walnut

Street during the construction of the same.

Measurements of Lots #1 and 4 in Clark Addition include to 6 of streets.

#### FELIX DUNN, WALNUT GROVE

Corner stone at N.E. corner 13th and Sluss (Woodlawn) Ave.
Corner stone at S.E. corner 14th and Woodlawn Ave.
Corner stone at N.E. corner Lot 5 - Felix Dunn Addition.

# llth and Woodlawn (Sluss) Ave.

Rock close to surface in this locality and of tough quality to work. Corner stone at S.W. corner llth and Sluss Ave.

## CHARLES FRANZMAN, SAGE, THOMAS ALEXANDER AREA

The curb returns at 14th and Indiana are 6 inches off of location due to failure of recognizing the irregular teir of lots in Univ. Park Addition.

Corner stone N.E. Corner Lot 10 in Thos. Alexander Addition.

## MORSE, WALNUT GROVE, SMALLWOOD ADDITIONS (areaof)

Corner stone on E. side Walnut Grove Ave. - 415 feet North of N.I.L. of E. 10th Street - Also one at N.W. corner of 13th and Walnut Grove. There is an iron spike at North edge of sidewalk at N.W. corner Fee Lane and 10th Street which marks the West line of Fee Lane.


Corner stone at N.E. corner Lot #6 in Smallwood Addition.

Lot demensions shown on Hanna's City Map do not agree with the recorded plat demensions. (Morse Addition)

Corner stone at S.W. corner of 13th and Walnut Grove.

Corner stone at E. Side Walnut Grove - opposite 11th Street.

The curb returns at lith and Indiana and 5 inches off of location, recognizing the irregular telr of lots; in Univ. Park Addition.




## DUNN ADDITION

There are 3 feet behind each walk on Indiana Ave. (3rd to 10th) that belong to the city.

There has always been some argument about the width of Dunn Street (3rd to 10th). However I arrived at a width of 60 feet (taking into consideration old land marks). The  $\epsilon$  of Dunn Street runs  $\epsilon$  feet West of the  $\frac{1}{4}$  section line in Dunn St.

## UNIVERSITY COURT (1st through fourth additions)

7th Street - 60 feet wide
No. line of 7th to So. line of Lot 21 - 2nd University Courts - 800 feet.
Fess Ave. - 50 feet wide



## FOREST PLACE

Indiana University gvae 3 feet off of the West side of Old Forest Drive in order to construct the new street wider in 1928. The street utilizes its entire right of way.

Indiana University Acreage approximately 137 Acres - 1930

STADIUM AREA - of E. 10th Street from Fee Lane was located on Section Line.

# WORK ORDER

ly lilling	- H	ш
Ordered By  Date  Lot No.  Section No.  T N R  Description:  Notes:	Lot T- W.M. ALEXANDER 400 John T. Stapleton, Civil Engineer and Surveyor N Fee.	

page 81

#### REPORT BE ALLENDALE SECOND WARREN HEERKERREN DE ARRENTE DE LE REPORT DE LE REPORT DE LE REPORT DE LE REPORT DE

Park, Stull and Fess Ave. all take up their full right of way. There is rock just underneath the pavement on Stull Ave. and perhaps a damages sewer line on account of blasting rock within 6 feet of the San. sewer. On the South end of Park Ave. there is stone just underneath the pavement. And stone is of no great depth under Fess Ave. pavement. Sewers under these street are laid on a steep grad. All street end at the present North line of Maxwell Lane. Streets and sewer built in the summer of 1927. District sanitary sewer in this district is of shallow depth at the Fess Ave. end but 8 to 10 feet in depth between Park and Woodlawn Ave. but not much rock was encountered except between Park and Woodlawn Ave. This sewer line is in the alleys and along lot lines. Rock under Henderson Street is of a depth of approximately 5 feet. Henderson Street also runs to the North line of Maxwell Lane and covers its entire right of way of 33 feet. There is no surplus between any streets above mentioned.

## LAWNDALE, ALLENDALE ADDITIONS

GAGGERSIKYXHeighkax xW xxxiexanderxxRolingxxSmith (parkxofxGollegexRlagexxxdddikionex

UNIVERSITY HEIGHTS, SMITH, POLING, W. ALEXANDER (part of COLLEGE PLACE) ADDITIONS

The North line of North walk is the N.P.L. of Atwater Ave. - Fess to Woodlawn Ave. 3 feet off the North side of Lots 1, 2, 3, 4, and 5 in W. Alexander Addition was condemned for propose of Str. construction in 1930.

dilud gawas balot No. 36 Smith Addition 44.3 feet wide, 1372 feet long.

The face of the North curb of E. 3rd Street opposite the between curbs of Wood-lawn Ave. is the Section Line.

ids seems line is in the alleys and slong lot lines. Rock under Henderson Sa of a depth of approximately 5 fest. Henderson Street also runs to the Nor

line of Maxwell Lane and covers the cuttre right of way at 33 feet. There is no

WIDALE, SLIFSTMEE ADDITIONS

inixerianate termentian the set of the corner jot 9 represents M.E. corner - First

.teeris nographed handerson Street.

#### GLENWOOD ADDITION

Glenwood plat was never recorded and in 1928 developed into Hawthorne Addition, Everdale Addition and the rest sold off in meets and bounds.

4 feet off of Lots 11, 16, 12, 15, 13, and 14 Finley Addition was deeded to the city in order to construct Wylie Street 40 feet wide through Finley Addition - Wylie Street utilizes in entire right of way and is parallel to East First Street.

# GENTRY PLACE, WHITTAKERF ELM HEIGHTS (part of COLLEGE PLACE) ADDITIONS

Corner stone at S.W. corner - Ballantine Road and E. 3rd Street. Faculty Ave. by Elm Heights School vacted shorty after school was built.

Corner stone at S.W. corner Lot 21 in Elm Heights Addition.

Corner Stone - S.W. corner Ballantine Road and 3rd Street.

Streets and Alley - Cross hatched, vacated by Elm Heights Land Co. 10.5 Alleys

#### OUTLOOK, ADDITION

The owner of Lot 1 in Outlook Addition has a deed which includes part of Hawthorner Drive.

The sewer connection for Lot 6 at S.W. corner of University and Hawthorne is underneath the intersection


) A

TOITIGHA (MOAIG MOMINUTE TO JOHO) . STOP WHI PAR THERESIS AND A STOP

o. by Ela "algors School vacted shorty after school was built,

Corner Stone - S.W. corner Ballantine Hood and Brd Street.

Streets and "liby - Gross hatched, vacated by Elm Heights Land Co.



Maxwell La

0000

#### COX ADDITION

Sewerage will drain through Davis Street Dist. San. Sewer.

Henderson Street South of Grimes Lane is not as all records show it and jogs greatly to the East and away from the section line. Stone walks by WPA in 1938 East side to have a 12 inch curb in the future in order for street grade to meet low property on the West side.

		H	gh st.		
				SOUTH High Addition	
Lane	13.4	STREET		135	side DR.
MANOR	MATAN.	DAVIS		92	Hillside
	2	Highland			

8.4

Maxwell

Street

3rd

16

University

32

23

22

Sheridan Place

40

52

53

68

65 : 0

58 57

Street

131

#### SHERIDAN PLACE

Iron pin buried in concrete on South side of E. First Street - marking of Highland Ave. - as carried through from between 2nd and 3rd Street.

East First Street pavement from Highland to Jordan Ave. is laying on stone

in fact stone was shot out in order to get down to grade.

First Street at the intersection of Sheridan Road was vacted shortyly after the construction of Sheridan Road. Rock in this locality is of an average depth of about 3 feet.

Corner stone at N.E. corner Lot 19 and Corner stone at N.W. corner Lot 1.

#### CAMPUS PLACE, WILLIAMS ADDITIONS

Corner stone at S.W. corner Lot 17

Highland Ave. Improvement was placed according to a row of corner stones that existed a long the East line of R.O.W.. These stones where mostly destroyed during construction of the Street. However there is one that was filled over at the S.E. corner of Atwater and Highland. This street utilized its entire R.O.W.

From Atwater to 3rd and along Jordan Street there is a 7 foot surplus. When placing 20 feet alley during the construction of Jordan Street. This surplus

was split equally at the alley.

Corner stone in front of Knight's Store (Bartlett's) on E. 3rd Street. Also one on University lands North side of 3rd Street opposite alley between Highland and Jordan

Smithwood Addition - It was the intention of the surveyor (an Indianapolis man) in laying out this addition to start from the section line in East 3rd Street. But he not know that this line was on a correction parallel and he started from a stone opposite the S.E. corner of this addition - said stone being on the straight section line. The stone he should have started from and which was on the 12 mile line of correction was about 100 feet East of the before mentioned stone. There the Southeast corner of this addition is 18 inches out of line with all the other additions in the locality. Both stones were destroyed during the construction of the E. 3rd Street improvement. Corner stone at the S.W. corner of the E. 3rd Street and East Side Drive (the same being 42 inches South the E. 3rd Street walk and # 10 inches West of the East Side Drive Walk) Corner Stone at the N.W. corner of Lot # 6 in Kirkwood Heights Addition (stone in bad condition and condition must be taken in consideration when using the same) Smithwood Addition purchased and vacated in 1937 by I.U. - Iron pipes mark all the corners of Lot 3 in Kirkwood Heights Addition. All distance in Kirkwood Heights are net. East Side Drive was widened 12 feet in 1938 land given on the East side by the owners of Lot one of Kirkwood Heights Addition. Sidewalk and curb and Gutter along this street by WPA. South line of E. 3rd Street from Mitchell to High Street is 42 inches South of the South walk of said 3rd Street. Through the Parks bottom rock is just under the surface, but it at a considerable depth at the East portion of this addition. Corner stone at the N.W. corner E st Side Drive and 2nd Street and one buried S.E. corner of the same intersection.

NOTE: Pipe AT NE + NW CORS

OF LOT 3 SET AT BACK

OF WALK = 42" N OF

PROPERTY LINE


LOCATION OF
CORNER STONE

DRAWING I

Dack of walk

10"

(point of arrow)



page

## MAYFIELD, ENGLEWOOD, VARSITY PLACE ADDITIONS

Jordan Street utilizes its entire right of way. Stone under Jordan Street (from 3rd Street to South Line of Quadrangle) is from 18 inches to 3 feet beneath the surface. There is surplus land between Third Street and the S.P.L. of Quadrangle. Corner Stone at the S.W. corner of Lot 1 in Varsity Place Add. which is 1.6 feet North of the North walk of East 3rd Street. All of Varsity Place North of Third and West of Jordan Street up to Lot 9 is now the property Of Indiana University and 4th Street West of Jordan Street has been vacted as well as all of the alleys (vacted in 1937) Corner stone at N.W. corner of Lot No. 40 - Varsity Place, corner stone at N.E. corner Lot No. 47 Varsity Place Addition. It is necessary to dig in order to find the same. The new University School was placed directly over the district sanitary sewer leading from 4th and Jordan to the outfall sewer in Jordan Field. The same was encased in concrete under the building. Remaining portion of sewer to the West of building in very bad condition. Storm sewer under Jordan Street at 4th Street is of little use since school grounds have been filled in.

## FIELDER, HIGHLAND HOMES ADDITIONS

Feb. 16, 1931 - The correct location of the cof Union Street does not conform with the of the present roadway.

Iron pin in cong. at 4 of Union and 10th Street intersection suppose to mark the Section Cor. Should be checked before using - There is a possible chance that it is as much as 6 feet off. (placed July 1934)

Stone at S.E. corner of 9th and Bryan.
Stone at S.E. corner of 9th and Jefferson.
Stone at N.E. corner of 4th and Jefferson.

Stone at S.E. corner of University (North) and E. 10th Street.

132 - 12 - 132 (Bryon) (50) 132 - 12 - 126 JEFF (50) 126 - 12 - 126 Roos. (44) 126 - 12 - 126 CLARK (40)

## Rose Ave. at 3rd Street is located correctly - Union Street Likewise

neath the surface, There is surplus land between Third Street and the S.P.L. of Quadrancie, Corner Stone at the A.V. corner of Let 1 in Versity Place Add. Warley is 1.A feet Verth of the North welk of East 3rd Street, All of Versity Place Morth of Tilrd and West of Jordan Street, up to Lot 9 is now the property of Endfans Weiters with Street west of Jordan Street has been vacted as well as all or the alleys (vacted in 1937) Corner stone at K.W. corner of Lot No. 40 were less to Hot Addition! It is necessary to dig the union to 1940 the same was placed directly over the ristrict sentiary sever lesding from 4th and Jordan to the same was encased in concrete and Jordan to the ballding from 4th concrete and delicing sever in derivating corticus of sever to the West of building in very chast condition. Storm sever under Jordan Street at 4th Street is of little use and condition. Storm sever under Jordan Street at 4th Street is of little use and condition.

## PTELDER, HIGHLAND HOMES ADDITIONS

Teb. 16, 1931 - The correct location of the correct does not conform with the college of the present roadway.

Iron pin in cong. at door Union and 10th Street intersection suppose to mark the Section Cor. Should be checked before using - There is a possible chance that it is as much as 6 feet off. Tightneed July 1934)

Stone at S.E. corner of 9th and Jefferson.

Stone at S.E. corner of 9th and Jefferson.

#### FRATERNITY QUAD ADDITION

The center of the first manhole North of the bridge in the Quad is 25 feet North of the North line of the Quad. There is a corner stone at the S.E. corner of the Quad. (Just West of the Theta Chi House) also another one just West of the Phi Mu House. There is stone just underneath the pavement between the South end of the island and the South line of the Quad. From the North end of the island to the North line of the Quad a fill was made when the improvement was made. There is an out let san. sewer leading West through the campus from a man hole a few South of the bridge in the Quad. This was laid through rock all the way and this line hooks into the first manhole in East Jordan field, and of cast iron pipe where crossing steam.

Corner stone S.W. corner Quad. Curve data for Quad construction can be

obtained from A-50 file folder at city Engineer's Office.

# NOTES ON PLATS.

The effect of the large magnetic variation of the needle in 1818 is seen in the way Young's Addition and Owen's The effect of the large magnetic variation of the needle in 1818 is seen in the way Young's Addition and Owen's Addition extend into Tenth Street, running from Dunn Street west to Lincoln Street. This same effect is noticed in the way the east row of lots in Cottage Grove Addition were narrowed by the dedication of Dunn Street by the same plat. The width of Dunn Street along Young's Addition was increased by condemnation proceedings and along Cottage Grove Addition it was established, before and in addition to the adoption of the plat, by proceedings in Cottage Grove Addition it was established, before and in addition to the adoption of the plat, by proceedings in pick road construction from Tenth Street north. In University Park Addition there is a shortage of about to pike road construction from Tenth Street north. In University Park Addition to the east side. This shortage has all been placed in lots 102 to 118 by arrangement before north and south on the east side. This shortage has all been placed in lots 102 to 118 by arrangement before the University Park Land Company and the Indianapolio Southern R.R. Co., at the time the railroad company purchased the lots. Five feet off of the south end of lots 217025 in Dunn's Addition has been added to the width of Fifth Street. The township line and quarter-section lines are marked by stone monuments.

RAY ROGERS

All Deeds give Sec. Cor. As STARTING POINT

10th

Township 8 North, Range 1 West, bounded and described as follows, to-will beginning at a point in the North boundary line of Seminary Lot 71, 75 Beginning at a point in the North boundary line of Seminary Lot 71, 75 Beginning at a point in the North boundary line of Seminary Lot 71, 75 Iteet and 5 inches West of the West side of the West side of the West said City of Bloomington, Indiana, said point being the intersection of the South side of Second Street in said city with the West face of an old stone wall marking the east line of the property owned by John Campbell, Sr., and the said point being also 206 3/4 feet West of the Northeast corner of Lot No. 1 in Cedar Hill Street 108 3/4 feet, more or less, to the north line of the property of John Campbell, Sr., thence east to the West line of Lincoln Street, thence North to Second Street, thence West to the place of beginning.

ed OL Indiana OWN Of feet 167 to the North line of the land heret lot a point aid lot Southeast ty of Bloomington, 23 the We North 0 to the South line of Beginning at JO conveyed to A. Frank McCormick and wife; running thenc and 9 inches South of the Northeast corner thence to the beginning running by Lee and Dove Strong; running thence East in the ci follows, to wit: 0 £ Strong; 37 feet 1 the place Seminary Lot Number 60 feet Dove feet; running thence North described as Denzil Languell and 10 South East Lee said lot of thence thence and Of 108 feet running running pounded A part 0 and Of

HORACE KARSE


2007

Part of

Q Indiana *p* lline aid lot, at f said mary Lot, hence 556 feet; Bloomons of the Northeast corner of said thence South 148 feet; thence ofo to the place beginning. in the city Seminary Lot #76 described as follows: C thence West 56 feet; the thence North 148 feet to

Vonderschmitt Rentals Nova Vonderschmitt

John T. Stapleton, Civil Engineer and Surveyor Fee-S 3 0 Section No. Completed Ordered By



JOHN T. STAPLETON

CIVIL ENGINEER

BLOOMINGTON, INDIANA 1309 EAST 2ND STREET


TELEPHONE 2-2928



							-	·00	GRAND											AVEN	
				Q.			50'	100	100	100	100 35_FT	100	100 B	UILDING .	100	100	50'	100,	LINE	100	
			3,					5 7/	72	73	74	75	76	77	78	79	10	80	81	82	
1081	69	90 -	67	66	65	64	DRIVE	63	62	6/ BUIL	60	59	58	57	56	55	DRIVE	54	53 LINE	52	
105.47'	90	90	100	100	100	100'		100	100.	100	100	100	100	100	100	100.		100	100	100	
500		BR	OADWAY	1		1	3	9								Ġ	3	3 A1	/ENUE		
104.5	90.	90'	100.	100'	E.T.	100.		100	100.	100	100	BUILDIN	100	100	100	100		100	100	LINE	
.95.841 .02 .95.841 .02	25	26	27	28	29	30	900	3/	32	33	34	35	36	37	38	39	2	40	41	42	
101.6	22	21	20	19	18	17 '2	SHERWO	98 28 16	15	14	13	12	//	10	9	8 8	ESTERN	2	6	<u></u>	

1309 EAST ZND STREET
BLOOMINGTON, INDIANA
TELEPHONE 2-2928

JOHN T. STAPLETON CIVIL ENGINEER



PRINCES & MYSELLY